

A

12/15/97
USPTO

NIELDS, LEMACK & DINGMAN

INTELLECTUAL PROPERTY LAW - PATENTS, TRADEMARKS & COPYRIGHTS

ANNY C. NIELDS
VIN S. LEMACK
WILLIAM M. DINGMAN
TRACEY L. CHANNING
OF COUNSEL

176 EAST MAIN STREET, SUITE 8
WESTBORO, MASSACHUSETTS 01581

TELEPHONE: (508) 898-1818
FACSIMILE: (508) 898-2020
E-MAIL: NLDLAW@AOL.COM

December 15, 1997

Box Patent Applications
Commissioner of Patents and Trademarks
U.S. Patent and Trademark Office
Washington, DC 20231

SUBJECT: Rotary Saw Cut Alignment Device
Our Reference: CAL/972/US

Dear Sir:

Enclosed is a patent application, including formal papers, as follows:

Applicant: Caluori et al

Title: Rotary Saw Cut Alignment Device

Number of Pages of Specification: 9; Claims: 3; Drawings: 2; Declaration and Power
of Attorney; Verified Statement Claiming Small Entity Status

Filing Fee Calculation (Small Entity):

Basic Fee: \$ 395.00

Additional Fees:

Total number of claims in excess
of 20: 0 x \$11.00: \$ 0

Number of independent claims in
excess of 3: 0 x \$40.00: \$ 0

TOTAL FILING FEE: \$ 395.00

089906304 121597

1990-1991		1991-1992		1992-1993		1993-1994		1994-1995		1995-1996		1996-1997		1997-1998		1998-1999		1999-2000		2000-2001		2001-2002		2002-2003		2003-2004		2004-2005		2005-2006		2006-2007		2007-2008		2008-2009		2009-2010		2010-2011		2011-2012		2012-2013		2013-2014		2014-2015		2015-2016		2016-2017		2017-2018		2018-2019		2019-2020		2020-2021		2021-2022		2022-2023		2023-2024		2024-2025		2025-2026		2026-2027		2027-2028		2028-2029		2029-2030		2030-2031		2031-2032		2032-2033		2033-2034		2034-2035		2035-2036		2036-2037		2037-2038		2038-2039		2039-2040		2040-2041		2041-2042		2042-2043		2043-2044		2044-2045		2045-2046		2046-2047		2047-2048		2048-2049		2049-2050		2050-2051		2051-2052		2052-2053		2053-2054		2054-2055		2055-2056		2056-2057		2057-2058		2058-2059		2059-2060		2060-2061		2061-2062		2062-2063		2063-2064		2064-2065		2065-2066		2066-2067		2067-2068		2068-2069		2069-2070		2070-2071		2071-2072		2072-2073		2073-2074		2074-2075		2075-2076		2076-2077		2077-2078		2078-2079		2079-2080		2080-2081		2081-2082		2082-2083		2083-2084		2084-2085		2085-2086		2086-2087		2087-2088		2088-2089		2089-2090		2090-2091		2091-2092		2092-2093		2093-2094		2094-2095		2095-2096		2096-2097		2097-2098		2098-2099		2099-2100		2100-2101		2101-2102		2102-2103		2103-2104		2104-2105		2105-2106		2106-2107		2107-2108		2108-2109		2109-2110		2110-2111		2111-2112		2112-2113		2113-2114		2114-2115		2115-2116		2116-2117		2117-2118		2118-2119		2119-2120		2120-2121		2121-2122		2122-2123		2123-2124		2124-2125		2125-2126		2126-2127		2127-2128		2128-2129		2129-2130		2130-2131		2131-2132		2132-2133		2133-2134		2134-2135		2135-2136		2136-2137		2137-2138		2138-2139		2139-2140		2140-2141		2141-2142		2142-2143		2143-2144		2144-2145		2145-2146		2146-2147		2147-2148		2148-2149		2149-2150		2150-2151		2151-2152		2152-2153		2153-2154		2154-2155		2155-2156		2156-2157		2157-2158		2158-2159		2159-2160		2160-2161		2161-2162		2162-2163		2163-2164		2164-2165		2165-2166		2166-2167		2167-2168		2168-2169		2169-2170		2170-2171		2171-2172		2172-2173		2173-2174		2174-2175		2175-2176		2176-2177		2177-2178		2178-2179		2179-2180		2180-2181		2181-2182		2182-2183		2183-2184		2184-2185		2185-2186		2186-2187		2187-2188		2188-2189		2189-2190		2190-2191		2191-2192		2192-2193		2193-2194		2194-2195		2195-2196		2196-2197		2197-2198		2198-2199		2199-2200		2200-2201		2201-2202		2202-2203		2203-2204		2204-2205		2205-2206		2206-2207		2207-2208		2208-2209		2209-2210		2210-2211		2211-2212		2212-2213		2213-2214		2214-2215		2215-2216		2216-2217	
-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--

EXPRESS MAIL CERTIFICATE NUMBER EM138740145US

Applicant or Patentee: Caluori et al
 Serial or Patent No:
 Filed or Issued:
 For: Rotary Saw Cut Alignment Device

Attorney's
 Docket No: CAL/972/US

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
 STATUS (37 CFR 1.9(f) AND 1.27(c)) - INDEPENDENT INVENTOR**

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled: Rotary Saw Cut Alignment Device described in

☒ the specification filed herewith

☐ application serial no. _____, filed _____

☐ patent no. _____, issued _____

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

☐ no such person, concern or organization

☐ persons, concerns or organizations listed below

*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Full Name _____

Address _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

Full Name _____

Address _____

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statement may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

James R. Baird
 Name of Inventor


 Signature of Inventor

12/12/97
 Date

2025 DEC 11 11:22AM NIELSEN, LEMACK & DINGMAN

Applicant or Patentee: **Caluori et al**
 Serial or Patent No:
 Filed or Issued:
 For: **Rotary Saw Cut Alignment Device**

Attorney's
 Docket No: **CAL/972/US**

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
 STATUS (37 CFR 1.9(f) AND 1.27(c)) - INDEPENDENT INVENTOR**

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled: Rotary Saw Cut Alignment Device described in

- ☒ the specification filed herewith
☐ application serial no. _____, filed _____
☐ patent no. _____, issued _____

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☐ no such person, concern or organization
☐ persons, concerns or organizations listed below

*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Full Name _____
 Address _____
☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization
 Full Name _____
 Address _____
☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statement may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Raymond Caluori
 Name of Inventor


 Signature of Inventor

12-12-97
 Date

265727-1050680

0890501-1387
26 SEP 1992

APPLICATION
FOR
UNITED STATES LETTERS PATENT

Be it known that we, Raymond Caluori, residing at 140 Wood Road, Suite 200, Braintree, Massachusetts 02184, and James R. Baird, residing at 82 Hillside Avenue, Brockton, Massachusetts 02402, and being citizens of the United States of America, have invented a certain new and useful

Rotary Saw Cut Alignment Device

of which the following is a specification:

FIELD OF THE INVENTION

This invention relates to a saw-mounted cut alignment device for a rotary saw which projects a line of light along the cut line.

BACKGROUND OF THE INVENTION

5 Rotary saws such as circular saws, chop saws, radial arm saws, miter saws and table saws require that the operator properly align the material being cut with the saw blade. This takes time and care, but is critical for a proper cut.

10 There exist laser-based cut alignment devices which are externally mounted in the vicinity of the saw, and project a light beam along the cut line. These devices must be manually aligned before cutting begins, thus requiring experience and additional time. Also, the operator must monitor this additional piece of equipment in order to use the alignment device properly. Accordingly, devices of this nature are not practical for most saw owners and operators.

SUMMARY OF THE INVENTION

15 It is therefore an object of this invention to provide a cut alignment device for a rotary saw.

It is a further object of this invention to provide such a cut alignment device which is mounted to the saw.

It is a further object of this invention to provide such a cut alignment device which

is automatically self-aligning with the blade cut line.

It is a further object of this invention to provide such a cut alignment device which requires no operator set-up.

It is a further object of this invention to provide such a cut alignment device which
5 illuminates a straight line on the material to be cut along the blade cut line.

It is a further object of this invention to provide such a cut alignment device which turns on only when the saw is activated.

It is a further object of this invention to provide such a cut alignment device which decreases the amount of time required for a saw operator to align the material with the
10 cutting edge of the saw blade.

This invention results from the realization that rotary saws can be made more accurate and easier to use with a light-source mounted on the rotating portion of the saw which projects a beam of light along the saw blade cutting line.

This invention features a cut alignment device for a rotary saw having a motor which spins a cutting unit which includes a rotary shaft driven by the motor, a circular blade having a central aperture through which the shaft fits, and a blade mounting device for holding the blade on the shaft, the cut alignment device comprising: a battery power source carried by the cutting unit; and a beam light source, operatively connected to said
15 power source, and carried by the cutting unit; wherein said light source projects a light
20 beam from the cutting unit directed along the cutting edge of the blade to assist the operator in cutting accurately.

The cut alignment device may further include a switch between said power source

and said light source for selectively applying power to said light source.

The switch may be centrifrically engaged to automatically power said light source when the shaft is spinning. The light source may be mounted within the blade mounting device, and the blade mounting device may define an aperture from which the light beam emanates. The device may further include a focusing lens aligned with said aperture for focusing the light from said light source.

The blade mounting device may include a blade lock washer held on the shaft against the blade, and wherein said light source is mounted within said blade lock washer.

The battery power switch may be mounted within the blade mounting device.

Also featured is a cut alignment device for a rotary saw having a motor which spins a cutting unit which includes a rotary shaft driven by the motor, a circular blade having a central aperture through which the shaft fits, and a blade mounting device for holding the blade on the shaft, the cut alignment device comprising: a battery power source mounted within the blade lock washer; a light source operatively connected to said power source and mounted within the blade lock washer, wherein the blade lock washer defines an aperture from which the light emanates; and a centrifrically-engaged switch between said power source and said light source and mounted within the blade lock washer to automatically power said light source when the shaft is spinning; wherein said light source projects a light beam from the aperture directed along the cutting edge of the blade to assist the operator in cutting accurately.

BRIEF DESCRIPTION OF THE DRAWINGS

Other objects, features and advantages will occur to those skilled in the art from the following description of the preferred embodiments, and the accompanying drawings, in which:

5 Fig. 1 A is a front, partially disassembled, view of a preferred embodiment of the cut alignment device of this invention;

Fig. 1 B is a cross-sectional view of the device of Fig. 1 A taken along line B-B;

Fig. 1 C is a front view of the cover of the device of Fig. 1 A;

Fig. 1 D is a side view of the device of Fig. 1 A;

10 Fig. 2 A is a side view of a rotary saw carrying the device of Fig. 1 A;

Fig. 2 B is a front view of the saw of Fig. 2 A; and

Fig. 3 is a view similar to that of Fig. 1 A of an alternative preferred embodiment of the invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

15 This invention may be accomplished in a cut alignment device for a rotary saw having a motor which spins a cutting unit. The term "cutting unit" as used herein includes a rotary shaft driven by the motor, a circular blade having a central aperture through which the shaft fits, and a blade mounting device for holding the blade on the shaft. The cut alignment device of the invention includes a battery power source with one
20 or more batteries, carried by the cutting unit; and a beam light source, operatively connected to the power source, and also carried by the cutting unit. The result is a light

beam which emanates from the cutting unit. The light source is arranged such that the beam intersects the material to be cut along the line along which the saw blade will cut (the cut line). Thus, the operator need only align the light line with a cutting mark in order for the cut to fall directly on the cutting mark.

5 A preferred embodiment of the cut alignment device of this invention is shown in figures 1 and 2. Hollow annular housing 12 and removable annular cover 22 together are the same diameter and thickness as a typical lock washer which is part of the blade mounting device of rotary saws. The blade mounting device of rotary saws typically includes a blade bolt 44, washer 46, and a lock washer, not shown (Figs. 2 A and 2 B), which is replaced in this embodiment with housing 12 having cover 22. Bolt 44 and washer 46 hold housing 12 against blade 30, so that blade 30 can be rotated by shaft 42, which is driven by motor ¹³~~40~~.

10 Housing 12 is preferably made from cast aluminum. Housing 12 carries battery power source 16 comprising three, 1.2 volt hearing aid batteries interconnected by electrical lines 15. Housing 12 also carries laser diode assembly 14, which emits light in the range of 640 to 670 nm through aperture 26 in housing 12 to accomplish a beam light source. Assembly 14 comprises a laser diode 32, which may be a D6605 diode from NVG, Inc. of Hazlehurst, Georgia, driven by diode driver circuit board 30, which may be an NS102, also from NVG. A focusing lens, not shown, such as an NVG. 4 from NVG, 15
20 may be placed within aperture 26, or just inside or outside of the aperture to focus the light as necessary. Assembly 14 and/or this focusing lens is properly aligned such that the light beam emanating from aperture 26 strikes the material to be cut along the blade

cut line. The exact alignment depends on the distance of aperture 26 from blade 30, and the distance between aperture 26 and the blade cutting edge. Centrifugally engaged motion activated switch 18 is between power source 16 and laser diode assembly 14 so that laser diode assembly 14 is automatically powered only when housing 12 is spun by shaft 42. Electrical line 17 connects switch 18 to power source 16, and line 19 provides power to assembly 14.

An alternative embodiment is shown in Fig. 3. The only difference is that cylindrical laser module 40, which may be an MM6605 from NVG replaces diode 32, board 30, and the lens of Fig. 1 with a self-contained unit containing a diode, driver board and focusing lens.

This invention is meant to encompass visible beam light sources other than laser diodes, for example incandescent lamps. Laser diodes are preferred because they are small enough to fit within the interior of a housing having a diameter of 40.8 mm, a thickness of 7.7 mm, and a wall thickness of about 1.5 mm, the dimensions of the preferred embodiment of housing 14 of this invention, yet are bright enough to cast a beam which appears on the material to be cut as a line once the light source is spun. Housing cover 22 is preferably 1 mm thick

This invention is also meant to encompass a battery power source and beam light source carried anywhere on the cutting unit of a rotary saw. Since the cutting unit has a fixed, known relationship to the cutting blade, such will enable the light beam to intersect the material to be cut properly in the proper location - along the blade cut line. Thus, the battery and light source can be placed where desired on or in the rotary shaft,

the blade, or the blade mounting device.

Although specific features of the invention are shown in some drawings and not others, this is for convenience only, as each feature may be combined with any or all of the other features in accordance with the invention.

5

Other embodiments will occur to those skilled in the art and are within the following claims.

What is claimed is:

469727 7.0505530

Applicant: Caluori et al.
For: Rotary Saw Cut Alignment Device

1
2 1. A cut alignment device for a rotary saw having a motor which spins
3 ~~Δ~~ a cutting unit ^{said cutting unit including} which includes a rotary shaft driven by the motor, a circular blade having
4 a central aperture through which the shaft fits, and a blade mounting device for holding
5 the blade on the shaft, the cut alignment device comprising:

6 a battery power source carried by the cutting unit; and

7 a beam light source, operatively connected to said power source, and carried by
8 the cutting unit;

9 wherein said light source projects a light beam from the cutting unit directed along
10 the cutting edge of the blade to assist the operator in cutting accurately.

11 2. The cut alignment device of claim 1 further including a switch
12 between said power source and said light source for selectively applying power to said
13 light source.

14 3. The cut alignment device of claim 2 in which said switch is
15 centrifrically engaged to automatically power said light source when the shaft is spinning.

16 4. The cut alignment device of claim 1 in which said light source is
17 mounted within the blade mounting device, and the blade mounting device defines an
18 aperture from which the light beam emanates.

19 5. The cut alignment device of claim 4 further including a focusing

Applicant: Caluori et al.
For: Rotary Saw Cut Alignment Device

1 lens aligned with said aperture for focusing the light from said light source.

2 6. The cut alignment device of claim 4 in which the blade mounting
3 device includes a blade lock washer held on the shaft against the blade, and wherein said
4 light source is mounted within said blade lock washer.

5 7. The cut alignment device of claim 1 in which said battery power
6 source is mounted within the blade mounting device.

463777-0506630

Applicant: Caluori et al.
For: Rotary Saw Cut Alignment Device

1 8. A cut alignment device for a rotary saw having a motor which spins
2 ^{the cutting unit including}
3 ~~Δ a cutting unit which includes~~ a rotary shaft driven by the motor, a circular blade having
4 a central aperture through which the shaft fits, and a blade mounting device for holding
5 the blade on the shaft, the cut alignment device comprising:

6 Δ a battery power source mounted within the blade ^{mounting device} ~~lock washer~~;
7 a light source operatively connected to said power source and
8 Δ mounted within the blade ^{mounting device} ~~lock washer~~, wherein the blade ^{mounting device} ~~lock washer~~ defines an aperture
9 from which the light emanates;

10 and

11 a centrifrically-engaged switch between said power source and said
12 Δ light source and mounted within the blade ^{mounting device} ~~lock washer~~ to automatically power said light
13 source when the shaft is spinning;

14 wherein said light source projects a light beam from the aperture
directed along the cutting edge of the blade to assist the operator in cutting accurately.

Add A1


Applicant: Caluori et al.
For: Rotary Saw Cut Alignment Device

ABSTRACT

5 A cut alignment device for a rotary saw having a motor which spins a cutting unit
which includes a rotary shaft driven by the motor, a circular blade having a central
aperture through which the shaft fits, and a blade mounting device for holding the blade
on the shaft, the cut alignment device including: a battery power source carried by the
cutting unit; and a beam light source, operatively connected to this power source, and
carried by the cutting unit; wherein the light source projects a light beam from the cutting
unit directed along the cutting edge of the blade to assist the operator in cutting
accurately.

5708/990501

FIG. 1D



(C)




FIG. 1B




FIG. 1A




FIG. 1C




FIG. 2B




FIG. 2A






FIG. 3



COMBINED DECLARATION AND POWER OF ATTORNEY
IN ORIGINAL APPLICATIONAttorney Docket No.
CAL/972/US

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; that


I verily believe that I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named below) of the invention entitled: **Rotary Saw Cut Alignment Device** described and claimed in the specification herewith, that I understand the content of the specification, that I do not know and do not believe the same was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof more than one year prior to this application, that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months prior to this application, that I acknowledge my duty to disclose information of which I am aware which is known to be material to patentability in accordance with 37 CFR 1.56, and that I have reviewed and understand the contents of the specification, including the claims, as amended by any amendment specifically referred to in the oath or declaration, and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by me or my legal representatives or assigns, except as follows: none.

I hereby appoint Brian M. Dingman, Reg. No. 32,729, as the attorney to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Address all telephone calls to Brian M. Dingman at (508) 898-1818.

Address all correspondence to Nields, Lemack & Dingman, 176 East Main Street, Suite 8, Westboro, MA 01581.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of 1st or sole inventor
Raymond CaluoriInventor's signature
Date
12-12-97Residence
140 Wood Road, Suite 200, Braintree, Massachusetts 02184Citizenship
U. S. YesPost office address
SameFull name of 2nd inventor
James R. BairdInventor's signature
Date
12/12/97Residence
82 Hillside Avenue, Brockton, Massachusetts 02402Citizenship
U. S. YESPost office address
same

Full name of 3rd inventor

Inventor's signature

Date

Residence

Citizenship

Post office address